



Creating a cleaner, safer world.™













EASY ON THE ENVIRONMENT.

Think of Sentinel[™] as a higher standard sweeper built for higher environmental standards. The state-of-theart, dry dust control system meets PM-10 requirements and allows sweeping in freezing air temperatures—extending your sweeping season. It's also the only sweeper with a center suspended, floating main broom that automatically adjusts to variations in the road surface. It's ideal for picking up sand, dirt, rocks, broken glass and bulky light debris—perfect for cleaning BID districts, neighborhoods and alleys.

A VIEW WITH ROOM TO SPARE.

The Sentinel™ boasts first-class, spring-suspension seating plus plenty of room for all your carry-ons. Full-length glass doors give you a clear view of your sweeping path—as well as any obstacles and pedestrians. The standard *cab is heater-pressurized* with *filtered air to 3 microns*, so you'll breathe easier too. You'll also have fewer distractions, because the Sentinel™ cab is the *quietest cab in the business*. And if that's not enough, the dynamic, touch-control panel puts all *sweeping functions within easy reach* and easy operation.

POWER SWEEPING—THE 4th GENERATION

General

- Length: 174.8 in / 4440 mm (with optional Vario Sweeping Brush™): 206 in / 5230 mm
- Width: 70 in / 1780 mm
- Height: 100 in / 2540 mm
- Turning radius: 13 ft / 3960 mm
- Standard color: white (custom colors available)

Debris Hopper

- Stainless steel hopper
- Capacity, volumetric: 3.4 yd3 / 2.6 m3
- Dump height, low: 40 in / 1020 mm
- Dump height, high (optional): 9 ft 6 in / 2900 mm
- Design lift capacity: 8,000 lb / 3628 kg
- · Weight capacity, low dump: 7.000 lb / 3180 kg
- Weight capacity, high dump (optional): 4,000 lb / 1820 kg

Dust Control System

- Dry-filtering system
- Mildew-resistant, synthetic envelope filter
- Filter area: 211 ft2 / 20 m2
- Two vacuum fans
- Side brush water spray dust control: 94 gal / 360 L

Sweeping System

- · Direct-throw to debris elevator • Sweeping path, main brush:
- 51 in / 1300 mm · Sweeping path, with right side brush: 69 in / 1750 mm
- · Sweeping path, with optional dual side brushes: 87 in / 2210 mm
- · Sweeping path, with optional dual
- Main brush length: 51 in / 1300 mm

Cab

Engine/Power Train

Travel speed:


• CAT Diesel Model 3054C

0 to 25 mph / 40 km/hr

- Horsepower: 83 hp / 62 kW

• CAT Turbo Diesel (optional) - Horsepower: 127 hp / 95 kW

- · Four-wheel power steering
- Cloth suspension driver's seat
- Heater/defroster
- Sliding glass windows
- TotalView[™] glass doors
- *AM/FM radio / tape deck (optional)



- Main brush diameter: 24 in / 610 mm
- · Right and left side brush diameter: 32 in / 810 mm
- Vario Sweeping Brush™ diameter: 38 in / 970 mm



Creating a cleaner, safer world.™

Tennant Company

701 North Lilac Drive, P.O. Box 1452 Minneapolis, MN, U.S.A. 55440

Phone: 763-540-1200

Call toll-free: 800-553-8033 In Quebec phone: 514-335-6061 Fax: 763-513-2112

E-mail: info@tennantco.com Internet: www.tennantco.com