

High performance vacuum cleaner COMPACT

EVOTEC



High performance industrial vacuum cleaner for sucking up all dry dust particles from coarse dirt to fine dust

High quality standards – well-designed bypass motors, noise-absorbing turbofan.

Model Compact 15 with maintenance-free side channel blower, suitable for long-term runs on AC.

Sturdy, smooth-running chassis for high mobility. **Operable on stairs** due to big wheels and mountable push handle on both sides. Compact, modular structure with high-quality stainless steel dirt container (V2A). Lowering of the dirt container for **easy disposal**.

Effective, easy-to-use **filter cleaning** for long filter lifetime. **Cyclone separator** for better pre-filtering of fine dust particles and coarse matter. **Contamination free change of filter**.

Robust **polyester needle felt filter with PUR membrane**, dustclass M certified according to EN 60335-2-69, powerful for long-time performance.

Quick-action coupling with locking device and turning mechanism for secure connection of the suction hose. Length of cable: 8 m

Model		Compact 14	Compact 24	Compact 15
Voltage	Volts	230	230	230
Power output	Watts	1.400	2.400	1.500
Max. air flow rate	m ³ /h	165	330	220
Max. neg. press.	mbar	240	210	200 / 240 max.
Filter surface	m ²	1,20	1,20	1,20
Container vol.	litres	27	27	27
Type of protection		IPX4	IPX4	IP55
Suct. connection	dia. mm	60	60	60
Dimensions	cm	84 x 50 x 100	84 x 50 x 100	84 x 50 x 100
Weight	kg	34	36	45
Dust class M Dust class M/Type22	Art.-no.	151-2060	151-2070	151-2080 151-2081

Included in the delivery: 3,5 m suction hose dia. 40 mm and crevice nozzle

Details COMPACT

1 Container

27 litres dirt container can be lowered by using the lever handle. That way it can easily be taken from under the vacuum cleaner with its own swivel castors.

2 Pocket Filter

Polyester needle felt filter with PUR membrane with big filter power for dust class M.
Facilitates long working time without interruption.

3 COMPACT 15



Compact model with well contrued side channel blower – suitable for 3-shift operation.
Also Ex-safe according to Atex for zone 22.

4 Motor head

Functional and elegant motor head with two simply switchable motors. Easy unlock by releasing two clamps. Lifting of motor head with ergonomical shaped handle.

5 Cleansing of the filter

Easy to use filter cleansing for regeneration of the pocket filter.



EVOTEC – Accessory sets



Machine cleaning set

optimised for cleaning production machines.
Consisting of bulk suction nozzle, beveled tube rubber nozzle, pointed rubber nozzle and round brush nozzle



dia. 40 mm = **052-1080**

dia. 50 mm = **052-1070**



Industrial floor cleaning set

for cleaning all floors. Consisting of multi-part hand tube, **metal revolving nozzle with brush strip and replacement rubber strip**, round brush nozzle



dia. 40 mm, working width 370 mm = **052-1030**

dia. 40 mm, working width 450 mm = **052-1035**

dia. 50 mm, working width 370 mm = **052-1040**

dia. 50 mm, working width 450 mm = **052-1050**

dia. 50 mm, working width 500 mm = **052-1060**



Set for cleaning at height

Consisting of 2 m hand tube, curved tubular nozzles 100 mm and 200 mm, one wall nozzle and one floor nozzle

dia. 40 mm = **052-1090**

dia. 50 mm = **052-1100**